

DATE SUBMITTED 2/10/21
 SUBMITTED BY PARKS
 DATE ACTION REQUIRED 2/17/21

COUNCIL ACTION (X)
 PUBLIC HEARING REQUIRED ()
 RESOLUTION ()
 ORDINANCE 1ST READING ()
 ORDINANCE 2ND READING ()
 CITY CLERK'S INITIALS *ab*

**IMPERIAL CITY COUNCIL
 AGENDA ITEM**


SUBJECT: DISCUSSION/ACTION: EAGER PARK SPLASH PAD SHADE 1. APPROVE STAFF TO PROCEED WITH ORIGINAL DESIGNS FOR SPLASH PAD SHADE	
DEPARTMENT INVOLVED: PARKS	
BACKGROUND/SUMMARY: City Council gave staff authorization to seek bids for an all metal shade structure to be installed over the splash pad. Staff conducted additional research in preparation before releasing an RFB. Staff consulted with various experts regarding the negative effects chemicals (chlorine) and moisture from the water features would have on the structure, even in the short term. Warranty on roofing, rust and maintenance would be issue. Staff is recommending that city council approve to move forward with the original concepts for shade which were metal and fabric combination. Please attached original concepts for shade:	
FISCAL IMPACT: Not to exceed 125,000. Per Capita Grant Funds	FINANCE INITIALS <i>DA</i>
STAFF RECOMMENDATION: It is the department's recommendation for City Council to approve staff to proceed with Metal and Fabric Option	DEPT. INITIALS <i>[Signature]</i>
MANAGER'S RECOMMENDATION:	CITY MANAGER'S INITIALS <i>ab</i>
MOTION: SECONDED: AYES: APPROVED () REJECTED () NAYES: DISAPPROVED () DEFERRED () ABSENT: REFERRED TO:	

THIS IS A CONCEPT DRAWING. DIMENSIONS SHOWN ARE REPRESENTATIVE. TO ADAPT THIS CONCEPT TO MEET PROJECT SPECIFIC DESIGN REQUIREMENTS, FORWARD YOUR REQUEST TO POLYGON CUSTOMER SERVICE.




PORTERCORP HAS EARNED A PCI-4000 CERTIFICATION FROM THE GLOBALLY RECOGNIZED POWDER COATING INSTITUTE (PCI). QUALITY FINISHING IS CRUCIAL TO THE LONG TERM PERFORMANCE OF SHELTER STRUCTURES. THIS CERTIFICATION UNDERSCORES THE COMMITMENT PORTERCORP HAS MADE TO MANUFACTURING QUALITY PRODUCTS.

FRAME AND ORNAMENTATION FINISH: MEMBERS SHOT BLASTED TO NEAR WHITE CONDITION (SPC SP-10), WASHED AND SEALED IN A PHOSPHATE SPRAY, COATED WITH A SPECIAL EPOXY PRIMER POWDER COAT BASE, COATED WITH A SUPER DURABLE TGIC POLYESTER POWDER AND OVEN CURED. SEE COLOR MATRIX (WWW.POLYGON.COM) FOR AVAILABLE COLORS.



PLAN VIEW



FRONT VIEW



AERIAL VIEW


SHELTER MODEL:
FB-12 HEXAGONAL 72 - SAIL
FABRIC COLLECTION

poligon[®]

www.poligon.com
616-399-1963
4940 N. 134th AVE.
HOLLAND, MI 49424
A PORTER[®] PLAYCORE[®] COMPANY

Copyright laws protect the style and visual appearance of the structure while patents may protect other parts of the design.

SITE PLAN



NOTES:
 THESE DRAWINGS ARE A PICTORIAL REPRESENTATION OF FABRIC AND STEEL ONLY. NONE OF THE REQUIRED ATTACHMENT OR CONNECTION DETAILS HAVE BEEN SPECIFIED.
 ALL DIMENSIONS AND HEIGHTS MUST BE FIELD VERIFIED PRIOR TO ANY FINAL DESIGN, FABRICATION OR INSTALLATION WORK.

CUSTOMER:

**CITY OF
 IMPERIAL
 PROJECT NAME:
 EAGER
 PARK**

**LOCATION:
 10th & H STREET
 IMPERIAL, CA 92251**

**STRUCTURE TYPE:
 MULTILEVEL
 SUPERSPAN**

**SIZE:
 50' X 50' X 10'e**

THIS PLAN AND SPECIFICATIONS ARE THE PROPERTY OF USA SHADE AND SHALL NOT BE REPRODUCED WITHOUT WRITTEN PERMISSION.

CERTIFICATIONS:
 THE CERTIFICATION NUMBER IS 19261
 CERTIFICATION NUMBER: 19261-035

DATE _____
 DRW: _____
 CHK: _____
 ENG: _____

PLAN VIEW



PERSPECTIVE VIEW



\$125K


DESCRIPTION

REV	DESCRIPTION
06/12/20	Drawn By: AZR
06/12/20	Checked By: AZR
06/12/20	Approved By: AZR
DRAWING DESCRIPTION: OPTION 1	


DWG: CON-MAY-009-20

PAGE: 1001

REV:



SOUTH ELEVATION



FRONT ELEVATION