


DATE SUBMITTED 03/29/23
 SUBMITTED BY PARKS AND REC
 DATE ACTION REQUIRED 4/5/23

COUNCIL ACTION (X)
 PUBLIC HEARING REQUIRED ()
 RESOLUTION ()
 ORDINANCE 1ST READING ()
 ORDINANCE 2ND READING ()
 CITY CLERK'S INITIALS ()

**IMPERIAL CITY COUNCIL
 AGENDA ITEM**

SUBJECT: DISCUSSION/ACTION: PURCHASE OF HAULOTTE ARTICULATING TOW BEHIND LIFT FOR PARKS AND REC. DEPARTMENT IN THE AMOUNT NOT TO EXCEED \$50,000. 1. APPROVAL TO PURCHASE HAULOTTE ARTICULATING TOW BEHIND LIFT IN THE AMOUNT NOT TO EXCEED \$50,000.	
DEPARTMENT INVOLVED: PARKS AND RECREATION	
BACKGROUND/SUMMARY: Staff had budgeted \$50,000 in Municipal Budget approved 22-23 for a Compact size front end tractor. The Department has determined that the need for an articulating lift is greater and we're requesting City Council's approval to proceed. The Department would also request that the City Manager's office be allowed to approve quotes at His or Her discretion based on product availability not to exceed budgeted amount. Please see attached equipment description:	
FISCAL IMPACT: NOT THE EXCEED \$50,000 Community Facilities District Funds (CFD)/Landscape District Funds (LD) / General Funds	FINANCE INITIALS _____
STAFF RECOMMENDATION: It is the Department's recommendation for City Council to approve the purchase of new 55' articulating lift	DEPT. INITIALS 
MANAGER'S RECOMMENDATION:	CITY MANAGER'S INITIALS _____
MOTION: SECONDED: APPROVED () REJECTED () AYES: DISAPPROVED () DEFERRED () NAYES: ABSENT: REFERRED TO:	

Homepage (/) > Our products (/products) > Articulated & telescopic trailers 5533 A



Articulated & telescopic trailers

5533 A



Can be towed by a standard half-ton pickup truck - No commercial driver's license needed

Hydraulic outriggers and automatic leveling allow operation in under 30 seconds

Exceptional productivity

Superior combination of industry leading capacity and outreach

Air / water lines and 110V GFI protected power to the platform

COMPARE



TECHNICAL DATA

Working height	61 ft 3 in
Platform height	55 ft 3 in
Horizontal outreach (from centerline)	33 ft 5 in
Horizontal outreach (from edge of footpad)	27 ft 4 in
Up and over height	23 ft 1 in

